



Metal Finishing Systems

Birchwood Laboratories, Inc.
7900 Fuller Road
Eden Prairie, MN 55344 USA
Tel: 952/937-7931
Fax: 952/937-7979

www.birchwoodcasey.com

DRI-TOUCH® Non VOC Rust Preventive

Operating Instructions

DESCRIPTION

DRI-TOUCH® Non VOC rust preventive is a high-grade water-displacing corrosion inhibitor for all metal surfaces. It can be applied to wet or dry surfaces and forms a thin, transparent protective film that penetrates recessed areas and dries to a non-dimensional, semi-solid film that will not drain off the parts or wick off into packaging materials. Contains no silicone or wax. Harmless to plastics, synthetic rubbers and paints.

APPLICATON

Apply at Room Temperature to wet or dry parts by dipping, brushing or conventional low pressure spray equipment. Allow 1-2 minute contact time to penetrate recesses and displace water; then allow parts to drain and dry for 15-20 minutes.

PHYSICAL PROPERTIES

Appearance	Pale amber liquid, mild odor
Film Thickness	0.03 mil – transparent film
Flash Point, T.C.C.	248° F
Approximate Coverage	2000 sq. ft. per gallon
Salt Spray Resistance (ASTM B-117)	48-96 hours
Humidity Resistance (ASTM D-1748)	500 hours minimum
Water Displacement Test (MIL-C-16173E,	Pass
Stain Test (MIL-C-2235A)	Pass

REMOVAL

Solvents, heated alkaline detergent wash.

PACKAGING

5 gallon pails and 55 gallon non-returnable drums. Keep container closed during storage to prevent solvent loss.

Before Using This Product – Please Read, Understand and Follow all the Precautions shown on the Product Label and on the Material Safety Data Sheet.

The Material Safety Data Sheet can be found on our website: www.birchwoodcasey.com

Apply Appropriate Labels to any Container used to Store or Apply this Product.

NOTE: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Birchwood Laboratories, Inc. makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, Birchwood Laboratories, Inc. will not be responsible for damages of any kind resulting from the use of or reliance upon such information.

DRI-TOUCH® Non-VOC Rust Preventive
©Birchwood Laboratories, Inc.
October 2010

(Part Numbers 811651, 811658)